PLOT PLAN 1" = APPROX 200'





CROSS SECTION — NO SCALE



PLAN — 1" = 20'



SOIL CLASS: 40

SOURCE: USDA-SCS SOIL SURVEY

BENCH MARKS:

#1 ELEV 97.50 TOP OF NORTH END OF ROCK OUTCROP

#2 ELEV 99.92 SET NAIL IN LARGE PINE AT WALL (ASSUMED DATUM)

DESIGN INTENT:

BED BOTTOM TO BE PLACED NO MORE THAN 1.5' BELOW EXISTING GRADE, UPSLOPE SIDE.

SUITABLE REPLACEMENT AREA:

IN PLACE OR REDESIGN

KEY:

- _____ EXISTING CONTOUR
- - - - - - - - - - PROPOSED CONTOUR
- 100.0 EXISTING SPOT ELEVATION
- (100.0) PROPOSED SPOT ELEVATION

(PROPOSED GRADING SHOWN ONLY AS IT PERTAINS TO SEPTIC SYSTEM DESIGN)

NOTES:

1. SUBDIVISION APPROVAL N/A EXISTING LOT
2. THIS SYSTEM IS NOT DESIGNED TO HANDLE GARBAGE DISPOSAL WASTE.

LOCUS MAP NO SCALE



TOWN INSPECTOR: N/A

TEST PIT DATA DATE: 6/7/84

96.9			
95.9	LOAM & ROOTMAT	1.0	(TO BE REMOVED)
94.4	ORANGE-BROWN SANDY LOAM W/STONES	2.5	
92.9	YELLOW-BROWN COARSE LOAMY SAND	4.0	
90.9	BROWN COARSE GRAVELLY LOAM	6.0+ ESHW	
89.9		7.0 WET SOIL	
87.4		9.5	

PERC TEST DATE: 6/7/84

DEPTH OF HOLE: 30"

RATE OF PERC: 5 MIN/IN

DESIGN LOADING: 3 BEDROOMS

AREA REQUIRED: 646 SQ. FT.

PROPOSED SYSTEM: 20 x 35 FOR 700 SQ. FT. AREA PROVIDED

PLAN OF PROPOSED SEPTIC SYSTEM

LOCUS: WALNUT AVE
NORTH HAMPTON, NH

OWNER: ROBERT G. & CHRISTINE KINSMAN
132 WOODLAND ROAD
NORTH HAMPTON, NH 03862

APPLICANT: ANNE W. BIALOBRZESKI
247 LANDING ROAD
HAMPTON, N.H. 03842
DESIGNER PERMIT #348

NEW HAMPSHIRE Designer of Subsurface Disposal Systems Ann W. Bialobrzeski No. 348 Water Supply & Pollution Control

DATE: 6/10/84

APPROVAL: 112729

5